

Corporate Offices: 2001 Rexford Road

Charlotte, NC 28211

704-365-7300

October 10, 2002

Samuel A. Schiffman Vice President, General Counsel and Secretary

Email: saschiffman@nationalgypsum.com

Writer's Direct Dial: (704) 365-7667

Writer's Fax: (704) 365-7281

Mr. John Martin
On-Scene Coordinator
U.S. Environmental Protection Agency, Region 6
Superfund Cost Recovery Branch (6SF-R2)
1445 Ross Avenue
Dallas, TX 75202-2733

VIA FACSIMILE (214) 665-6748 and OVERNIGHT COURIER

RE:

Information Request; Westbank Asbestos Site,

Jefferson Parish, LA

Dear Mr. Martin:

Attached are the answers of New NGC, Inc., d/b/a National Gypsum Company, to the questions contained in your Information Request dated July 10, 2002. Per our earlier agreement with EPA, our response was due by today, October 10, 2002.

A hard copy original will be sent to you today via overnight courier.


The cover letter with the Information Request indicated that your understanding was that National Gypsum Company had a plant "adjacent to or near the Johns Manville Marrero plant on the Westbank Asbestos Site". It was also stated that we should advise you if that were not the case. Though we have gone ahead and answered the Information Request, you should know that the only plant which is owned and operated by New NGC, Inc., d/b/a National Gypsum Company, or that was operated by the company formerly known as National Gypsum Company, from which New NGC, Inc. purchased it, is in Westwego, LA, fifteen or more miles from the Johns Manville plant location. As we discussed on the phone, the Celotex plant is closer to the Manville location.

We appreciate the extension of time granted to us in order to be able to gather information and to answer the questions for you. If you have any questions, please let me know.

Very truly yours,

Samuel A. Sekiffmar

SAS/me



ERNEST N. MORIAL, President
RENE A. CURRY, President Pro-Tem.

Sewerage & Water Board OF NEW ORLEANS
CLISSEP SULLIVAN

6. KOSEPH SULLAVAN General Superintendent NEW ORLEANS, LA., 70165 - 586-4547

March 20, 1980

National Gypsum 5372 Tchoupitoulas Street New Orleans, LA 70115

Dear Sir:

To satisfy the conditions of our Discharge Permit issued by the United States Environmental Protection Agency, as prescribed by Authorization to Discharge Under the National Pollutant Discharge Elimination System, in compliance with the provisions of the Clean Water Act, (33 U.S.C. 1251 et. seq.; the "Act"), Permit No. LA 0038091, it is incumbent upon the Sewerage and Water Board of New Orleans to implement a Pretreatment Program in order to prevent the entrance of prohibited and incompatible pollutants into its sewerage and drainage networks.

Therefore, we are enclosing Table 1, a list of chemicals, labeled toxic by E.P.A., with appropriate questions to determine your status in this Pretreatment Program.

This questionnaire should be completed and returned to the Environmental Enforcement Division of the Sewerage and Water Board, Room 5W04, City Hall, New Orleans, Louisiana, 70165. not later than four (4) weeks from the above date.

For further clarification, contact the Environmental Enforcement Division at 945-1182.

Yours truly,

ENERAL SUPERINTENDENT

GJS/all

Exhibit A

Members of the Board: SIDNEY J. BARTHELEMY + JAMES L. BEVERLY + PHILIP C. CIACCIO + RUSSELL L. CUOCO + RENE A. CLAP+ + HENEY A. DILLIGN, JR. JANICE MARTIN FOSTER+JOSE?H I. GIARRUSSO+WILLIAM A. HOLTON, JR.+J. THOMAS LEWIS+HARRY MCCALL, JR.+WRS. R. HOVE MILLING+ERNEST N. MORIAL

BACKGROUND STATEMENT

The party to whom this Information Request was directed, and the party answering the questions contained in the Information Request, is *New NGC*, *Inc.*, *d/b/a National Gypsum Company* ("New NGC", or "Respondent"). New NGC was formed in 1993, and has never produced or sold any asbestos or asbestos containing products. In 1993, after its formation, New NGC purchased certain assets from the company formerly known as National Gypsum Company ("Old NGC"). Old NGC filed Chapter 11 bankruptcy on October 28, 1990 and a Plan of Reorganization in that proceeding (the "Plan") was confirmed March 9, 1993. On July 1, 1993, Old NGC changed its name to Asbestos Claims Management Corporation ("ACMC") and still exists for the purpose of managing claims relating to injury or damage allegedly caused by asbestos-containing products produced or sold by Old NGC, for which New NGC is not responsible.

New NGC assumed no liabilities for any claims relating to injury or damage resulting from asbestos under the terms of the Plan.

The only asset in Louisiana which was acquired by New NGC from Old NGC was a wallboard manufacturing facility located at #10 Louisiana Street, Westwego, Jefferson Parish, Louisiana 70094 (the "Westwego Plant").

QUESTIONS

- 1. Identify the persons answering these questions on behalf of NGC.
 - A: Samuel A. Schiffman
 Vice President, General Counsel and Secretary
 New NGC, Inc., d/b/a National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 (704) 365-7667.
- 2. For each and every question contained herein, *identify any persons* consulted in the preparation of the answer.
 - A: Where applicable, this information is contained in the answers to the questions below.
- 3. If you know of information or *documents* responsive to *any* question in this Information Request that are not in your possession, *identify* the *person* from whom such information or documents may be obtained.
 - A: Any documents which to the knowledge of the Respondent are responsive to questions herein are in the possession of the Respondent.
- 4. Identify any person who may be able to provide a more detailed or complete response to any question contained herein, along with a description of the additional information or documents that they may have.

- A: All available information concerning the matters or issues raised by or in the questions, and the name of any person(s) who might be able to provide more detailed information, are provided in the answers.
- 5. Identify any persons who have knowledge, information or documents about the transportation, generation, production, use, purchase, treatment, storage, disposal or other handling of asbestos material in Jefferson Parish, Orleans Parish or on the Site, and describe the knowledge, information, or documents that they may have.
 - A: Mr. Nolte Orgeron, a supervisory employee of New NGC, Inc., #10 Louisiana Street, Westwego, LA 70094, (504) 341-8596. Mr. Orgeron has knowledge about the handling and disposal by Old NGC of asbestos material from a plant formerly owned by Old NGC located at 5300 Tchoupitoulas Street, New Orleans, New Orleans Parish, LA 70115, which Old NGC sold in 1981 (the "New Orleans Plant").
- 6. Describe *any releases* of *asbestos material* that was produced, generated, owned, or disposed of by NGC that may have occurred in Jefferson Parish, Orleans Parish or on the Site. As part of the description, provide the following information:

General Answer: New NGC has not released, produced, generated, owned or disposed of any asbestos material in Jefferson Parish, Orleans Parish or on the Site. Except as described below, Old NGC never released or disposed of any asbestos material in Jefferson Parish, Orleans Parish or on the Site. New NGC is informed as to the activities of Old NGC that no releases of asbestos:

Item #1 – Jefferson Parish

- a) When such release occurred;
 - A: As late as the late 1970's, and for an indeterminate number of years prior thereto.
- b) How the release occurred;
 - A: The asbestos material was transported from the New Orleans Plant of Old NGC and was disposed of in a landfill area located on the site of Old NGC's Westwego Plant. This site is known to the Louisiana DEQ and New NGC has worked with LA DEQ regarding its management.
- c) The approximate amount of asbestos material released;
 - A: Unknown
- d) Identify the real property where any release of asbestos material may have occurred;
 - A: See item 6(b), above.
- e) Identify any persons involved in the release of the asbestos material. Information Request

A: According to Mr. Orgeron, the persons involved in the transportation of asbestos material from Old NGC's New Orleans Plant are no longer living. He also reports that a private contractor, Burmaster, was used by Old NGC to perform the excavation and covering of material at the landfill on the site of Old NGC's Westwego Plant.

Item #2 – Orleans Parish (New Orleans)

- a) When such release occurred;
 - A: Mid-1960's, and for an indeterminate number of years prior thereto.
- b) How the release occurred;
 - A: Asbestos material from the New Orleans Plant of Old NGC was transported away from the plant for disposal by Hotar Trucking Company. New NGC is informed that Hotar may have disposed of the material at a site now known as Audubon Park, "Monkey Hill", in New Orleans, LA, which at the time was a swampy area undergoing fill. We understand "Monkey Hill" is a man-made hill, constructed back in the 1960's and comprised of different fill materials, and is apparently well-covered with soil, grasses and heavy vegetation.
- c) The approximate amount of asbestos material released;
 - A: Unknown
- d) Identify the real property where any release of asbestos material may have occurred;
 - A: See item 6(b), above.
- e) Identify any persons involved in the release of the asbestos material.
 - A: Hotar Trucking Company employees. Location, address and phone number unknown.

Person consulted regarding information in this answer #6: Mr. Nolte Orgeron (see location information in #5, above)

7. Did NGC ever produce asbestos material in Louisiana?

A: No. New NGC never produced any asbestos material in Louisiana. New NGC is informed that Old NGC did produce asbestos material in Louisiana.

If the answer to this question is yes, please answer the following:

NOTE: The following applies only to Old NGC:

- a) What was the approximate chemical composition of the asbestos material?
 - A: Unknown
- b) What product was NGC making when the asbestos material was produced (e.g., roofing, siding, pavement, conduit)?
 - A: Old NGC produced asbestos-cement sheets at the New Orleans Plant, for use as building materials, and produced joint compounds, plasters and textures containing asbestos at the Westwego Plant. Old NGC also produced joint compounds containing asbestos at a plant located in Good Hope, LA, which was sold in 1969.
- c) What type(s) of asbestos did the asbestos material contain (e.g., chrysotile, crocidolite, or amphiboles), and in what proportions, approximately?
 - A: The asbestos material from production by Old NGC at the Westwego Plant and, it is believed, at the Good Hope plant, contained chrysotile only. The asbestos material from production by Old NGC at the New Orleans Plant contained mostly chrysotile, but for some products, for limited periods, small amounts of amosite or crocidolite were included. Proportions are unknown.
- d) What other materials including, without limitation gypsum, did the *asbestos* material contain, and in what proportions, approximately?
 - A: No gypsum wallboard produced by Old NGC or by New NGC ever contained any asbestos. Old NGC produced a limited line of specialty plaster products, which was made from gypsum, at its Westwego Plant, which for only a couple of years during the mid-1960's contained asbestos (chrysotile) in small percentages. Precise proportions unknown.

Person consulted regarding information in this answer: Russell Ward, Retiree, National Gypsum Company, Lake Wylie, SC.

8. Did NGC ever dispose of asbestos material in Louisiana? Please explain.

General Answer: New NGC never disposed of asbestos material in Lousiana. See also Respondent's answer to Question #6, above. New NGC is informed as to the activities of Old NGC as follows:

A: From at least 10/25/79 to at least April 1980, Browning Ferris Industries disposed of waste asbestos panels and bags of cement asbestos waste from the New Orleans Plant of Old NGC, approximately 4-30 cubic yards per month in bags, and 3-40,000# per month in panels. The disposal site was Browning Ferris Chemical Services, Inc., Branch No. 40, Livingston, LA (504) 686-7252

Documents: See attached Exhibit A and Exhibit B

9. Did NGC ever transport asbestos material in Louisiana? Please explain.

General Answer: New NGC never transported any asbestos materials in Louisiana. New NGC is informed as to the activities of Old NGC as follows:

A: New NGC is informed that asbestos material from the New Orleans Plant of Old NGC was transported by New Orleans Plant employees to the Westwego Plant of Old NGC, and disposed of in the landfill on the Westwego Plant property, up until approximately 1979, and for an indeterminate number of years prior thereto.

Person consulted regarding information in this answer: Mr. Nolte Orgeron (see location information in #5, above)

- 10. Did NGC ever make asbestos material available to Jefferson Parish or Site area residents for use as fill, as paving material. or otherwise?
 - A: New NGC never made asbestos material available as described. To the best of New NGC's knowledge, Old NGC never made asbestos material available as described.

If the answer to this question is yes, please answer the following:

a) When was the asbestos material made available?

N/A

b) Identify to whom the asbestos material was made available?

N/A

c) What type(s) of waste were made available? That is, what types of asbestos (e.g., chrysoltile, crocidolite, or amphiboles) did the asbestos material contain, and in what proportions, approximately? What other materials including without limitation, gypsum did the asbestos material contain, and in what proportions, approximately?

N/A

d) How was the asbestos material made available to residents (i.e., advertised for pickup, trucked to recipient's location, etc.)?

N/A

Person consulted regarding information in this answer: Mr. Nolte Orgeron (see location information in #5, above)


11. Did NGC ever make asbestos material available to other persons, including, without limitation, Jefferson Parish or Site area residents, for-use as fill, as paving material, or for other purposes? If the answer to this question is yes, please answer the following:

- A: Neither New NGC nor Old NGC ever made asbestos material available to residents for any purpose. See answer to Question #10, above. New NGC is informed that some asbestos material from the New Orleans Plant of Old NGC was disposed of by Hotar Trucking employees at the area in New Orleans, LA now known as Audubon Park, as described above in #6, Item #2.
- a) When was the asbestos material made available?
 - A: See #6, Item #2
- b) Identify to whom the asbestos material was made available?
 - A: See #6, Item #2
- c) What type(s) of asbestos material were made available? That is, what chemicals including without limitation gypsum did the asbestos material contain, and in what proportions, approximately?
 - A: Unknown
- d) How was the asbestos material made available to residents (i.e., advertised for pickup, trucked to recipient's location, etc.)?
 - A: Asbestos material was never, to the knowledge of New NGC, made available to residents by Old NGC.

Person consulted regarding information in this answer: Mr. Nolte Orgeron (see location information in #5, above)

REQUESTS FOR DOCUMENTS

- 12. Please *identify* and provide a copy of *any documents* consulted, examined, or referred to in the preparation of the answers to questions 6 through 11 including all subparts of those questions, Please a]so *identify* and provide a copy of *any documents* that contain information responsive, to the questions. For each document copy produced in response to this request for *documents*, indicate on the *document*, or in some other reasonable manner, the question and subpart of the question to which it corresponds.
 - Exhibit A Sewerage and Water Board Questionnaire from Old NGC New Orleans Plant, dated April 18, 1980.
 - Exhibit B Disposal Agreement between Gold Bond Building Products, National Gypsum Company and Browning-Ferris Industries, dated March 1980.



Sewerage & Water Board OF NEW ORLEANS


CITY HALL + CAUTE CELITER NEW ORLEADS, LA., 70165 + 586-4547

G. UKSEPH Scall (AV) Beither Scheriftendert

INDUSTRIAL WASTE QUESTIONNAIRE

		Date April 18, 1980)
1.	(A)	Name of applicant NATIONAL GYPSUM COMPANY	
	(B)	Identify applicant	
		X Owner	
		Leasee	
		Tenant	
	•	Other (Explain)	
	(c)	Standard Industrial Classification (SIC) Code	
2.		Municipal address 5300 TCHOUPITOULAS STREET	
		NEW ORLEANS, LOUISIANA 70115	
3.		Mailing address P. O. ROX 15257	
		NEW ORLEANS, LA. 70175	
4.		Name and title of signing principal executive official J.A.KELLER, VICE PRESIDENT OF MANUFACTURING OPERATIONS GOLD BOND BUILDING PRODUCTS DIVISION	 S

5.	Name, address, telephone number and title of applicant's	
,	authorized representative for coordination and correspondence	
	RAY A. PLAUCHE, PLANT MANAGER, 5300 TCHOUPITOULAS ST., NEW ORLEANS,	
	JERALD P. POCHE', PROCESS ENGINEER, " "	899-8261
6.	A. List all waste connections and/or discharges including	
	size, average daily flow each, minimum flow each, maximum	
	flow each and average total daily flow (I) See Attached Dwg.	
	Item A and attached data sheet (II) See attached dwg.	•
	Item B and attached data sheet.	
	B. Plot the daily flow in gallons vs hours for each item	
	listed in 6A.	
7.	Name, municipal address and mailing address of each separate	•
	facility where waste connections and/or discharges do now	
	or will occur (please identify on all drawings). Shown on plot	plan.
	5300 TCHOUPITOULAS STREET	
	NEW ORLEANS, LOUISIANA 70115	•
8.	P. O. BOX 15257, NEW ORLEANS, LA. 70175 Identify on drawings and list waste connections and/or dis-	•
	charges as permanent exxtempoxexx. See attached drawing.	
9.	If temporary, explain and estimate duration N/A	
		
		- -



Item 6A

I.

- 1. Size: 4"
- 2. Avg. Daily Flow: 1900 gal.
- 3. Min. Flow:
- 4. Max. Flow:
- 5. Avg. Total Daily Flow: 345 Gal.

II.

- 1. Size: 18" Wide x 8" Deep
- 2. Avg. Daily Flow: 154,000 Gal.
- 3. Min. Flow: 91,000 Gal.
- 4. Max. Flow: 271,000 Gal.
- 5. Avg. Total Daily Flow: 129,000 Gal.

Item 6B

I: 14 Gal.

II: 5,375 Gal.

Item 11:

- 1. Flocculant is added to the process water in order to reuse solids during operation.
- 2. Effluent is discharged to above ground settling basins.
- 3. The pH of the outflow is adjusted to 6 9.
- 4. All raw water for boiler feed water is treated.

Item 17:

In accordance with our NPDES permit, a water flow meter is used to establish estimated daily flow; grab samples are taken at the registered outfall weekly and evaluated for TSS; effluent is adjusted by pH control instruments to 6 - 9 before discharge into outfall.

Item 18:

Plant manufactures asbestos-cement building products by Hatscheck process. It consists of mixing asbestos fibers, Portland Cement, Silica, water, and pigments to form a wet sheet on the Hatscheck machine. These products are further processed and cured in autoclaves under saturated steam pressure to give them dimensional stability. The products are then given a final finished coating, inspected, packaged and shipped.

10.	Identify water intake sources	129,000 GPD	Public water supply system
•		-0-	Private water
		-0-	supply system Surface water
			body
		-0-	Ground Water
·		-0-	Other (Explain)
11	Describe any water treatment p	processes in use	: See Data Sheet
	Item 11.		
	·		
12	List Water Consumption in Plan	nt:	
	Cooling water	5200	gallons per day
	Boiler feed	14,800	gallons per day
	Process water	109,000	gallons per day
	Evaporation	1,300	gallons per day
'Mfloree's sea	Contained in product	-5,400	gallons per day
JASH UP	Other (Specify) (Sewerage)	11,850	gallons per day
13	έωΛςκυρ Φο ΘΡΗ List average volume of dischar	ge or water los	s to:
	Public sewerage	77.050	
	system	11,850	gallons per day
	Public storm drainage system	129,000	gallons per day
	Navigable water	-0-	gallons per day
•	Land application	-0-	gallons per day

Waste hauler		325	gallons per day
Underground d	disposal	-0-	gallons per day
Private disposal ac	cceptance comp	pany (Identi:	fy)
BROWNING-FERRIS INDUS	STRIES CHEMICAL	SERVICES INC	
P.O.BOX 15482, BATON	ROUGE, LOUISIA	NA 70895	
Please identify on	drawings and	list naviga)	ble waterways at
point of discharge	and/or connec	ction NON	IE.
		• .	
A. Identify all ag	oprovale and√x	מיל אין מעלע צעי	f Federal Intersta
A. Identity all ap	oprovats and a	JE GOVERNA O	rederar, incerse
	ncies for disc	charge or was	ste connection.
State or local ager		, ,	
State or local ager			•
· •	I. D. No.	Date	Issuing Agency
· ·			Issuing Agency U.S.E.P.A.
Type of Permit	I. D. No.	Date	
Type of Permit NPDES	I. D. No. LA 0006068	<u>Date</u> 10/12/74	U.S.E.P.A.
Type of Permit NPDES B. Have you applie	I. D. No. LA 0006068 ed for an NPDE	Date 10/12/74 ———————————————————————————————————	U.S.E.P.A.
Type of Permit NPDES B. Have you applied drains or surface we	I. D. No. LA 0006068 ed for an NPDE vater? X	Date 10/12/74 CS Permit for yes	U.S.E.P.A. r all discharges to
Type of Permit NPDES B. Have you applie	I. D. No. LA 0006068 ed for an NPDE vater? X	Date 10/12/74 CS Permit for yes	U.S.E.P.A. r all discharges to
Type of Permit NPDES B. Have you applied drains or surface we	I. D. No. LA 0006068 ed for an NPDE vater? X permit or app	Date 10/12/74 CS Permit for yes plication numbers	U.S.E.P.A. r all discharges to no. mbers. LA 0006068
NPDES B. Have you applied drains or surface we c. If so indicate	I. D. No. LA 0006068 ed for an NPDE vater? X permit or application	Date 10/12/74 CS Permit for yes plication numble drawings	u.S.E.P.A. r all discharges to no. mbers. LA 0006068 s any and all
Type of Permit NPDES B. Have you applied drains or surface with the control of	I. D. No. LA 0006068 ed for an NPDE vater? X permit or application monit	Date 10/12/74 2S Permit for yes plication nure able drawings coring waste	u.S.E.P.A. r all discharges to no. mbers. LA 0006068 s any and all connection and/or

•		
18.	Brief description of manufacturing process	
	SEE DATA SHEET ITEM 18.	
19.		
	FIBER, PORTLAND CEMENT, SILICA, PIGMENTS, FLOCCULANTS, HYDRAID 771	
	AND CITY WATER.	
	D. Tist all aboutable word in bailon cooling anti-	
	B. List all chemicals used in boiler, cooling waters.	
	BETZ ENTEC 733, 701, 750 FOR BOILER FEED WATER.	
•	ASBESTOS CEMENT SHEETS -	
20.	-	
	BUILDING MATERIALS.	
	B. Average daily quantity of product. 160 TONS	
	C. Average daily quantity of raw material used. 130 TONS	
21	v	
21.		
22.		
	When? VARIES FROM DAILY TO TWICE PER WEEK.	
23.	Is production seasonal? YES	
	If yes, explain indicating month(s) of peak production.	
·	APRIL THROUGH OCTOBER	
	AFRIL THROUGH OCTOBER	
24.	A. Average number of employees served by sanitary system per	
	shift: 185 1st; 49 2nd; 23 3rd.	
•	-5-	
4 5		-

B.	Shift	start	times:	7:00 A.M.	lst;	3:00	P.M.	2nd;	11:00	P.M.3rd.
----	-------	-------	--------	-----------	------	------	------	------	-------	----------

C. Shifts normally worked each day:

Sun	Mon	Tue	Wed	Thu	Fri	Sat
1st	<u> </u>	<u> </u>	X	<u> </u>	X	x
2nd	<u> </u>	X	X	X	<u> </u>	X
3rd	<u> </u>	<u> </u>	X	X	X	X

- 25. Are any of the toxic pollutants listed in Table 1 being used at this facility in manufacturing of the product or as a byproduct? If so, please indicate by a check mark on Table 1.
- 26. If any pollutant in Table 1 is present in discharge indicate concentration in Mg/1. (Use E.P.A. Storet Numbers when available.)

 SEE ATTACHED SHILSTONE TESTING LABORATORY REPORTS.
- 27. List and indicate concentrations of any other toxicants known or anticipated to be present in the discharge.

NONE	•			
	·		 	
		•	•	

28.	Is there a Spill Prevention Control and Countermeasure Plan
	in effect for this plant?
	X YesNo
29.	If the utilization of a pretreatment device is anticipated or
	is now in use, submit plans of, specifications of and data
	relevant to the pretreatment process. NO ADDITIONAL TREATMENT ANTICIPA
30.	Describe and explain other "in-house" waste discharge pollution
	abatement practices SEE DATA SHEET, ITEM 11
31.	Is this plant subject to an existing Federal Pretreatment
	Standard? YES If so, are Pretreatment Standards being
	met on a consistent basis? YES
32.	Are additional pretreatment facilities and/or operation
	and maintenance required to meet Pretreatment Standards? NO
	If additional pretreatment and/or operation and maintenance
	are required, list the schedule by which they will be pro-
	vided: N/A
33.	Name of Licensed Master Plumber responsible for waste connections
	at Plant Site. SILVERMAN & MARKS PLUMBING CO.
	COMER PLUMBING CO.

		·
34.	A.	For those processes or operations which produce wastes
	whi	ch are NOT discharged into city or storm sewers or to
	sur	face waters, complete the following: N/A
	(Us	e Separate form for each waste stream)
	В.	Waste Stream No.
		cription of process or operation producing waste
	C.	Brief characterization of waste
	·	
35.	A.	Annual waste production 1070 tons/yrgal./yr.
	в.	Frequency of waste production:seasonalX occasional
36.	Was	te Composition
	A.	Average percent solids 70 % b. pH range 10 to 12
	В.	Physical state:liquid,slurry,sludge,
		X solid,other (specify)
	c.	Hazardous properties of waste:flammable X_toxic
		reactive explosive infectious
		corrosive other (specify)
37.	Tra	nsportation
	A.	Waste hauled off site by you _X others -
	В.	Name of waste hauler BROWNING FERRIS INDUSTRIES CHEMICAL SERVICES, INC
		Adress P.O.BOX 15482 , BATON ROUGE
		Street City
		LOUISIANA 70895 (504)923-3824 State Zip Code Phone

38.	Treatment and Disposal
	A. Treatment or disposal: on site _X off site
	B. Waste is reclaimed treated X land disposed
	incinerated other (specify)
	C. Off site facility receiving waste
	Name of Facility BROWNING FERRIS INDUSTRIES CHEMICAL SERVICES, INC
	Facility Operator SAME
	Facility Location BRANCH NO. 40 , LIVINGSTON City
	LOUISIANA (504) 686-7252 State Zip Code Phone
39.	On Site Storage for greater than 90 days A. Method: drum, X roll-off container, tank, lagoon, other (specify) B. Typical length of time waste stored days, 2 weeks, months.
	C. Typical volume of waste stored 20 tons, gallons
	D. Is storage site diked? Yes No N/A
40:	E. Surface drainage collection Yes No NA
40.	I certify that to the best of my knowledge and belief this
	information is true, complete and accurate.
	Principal Executive Officer
	en e
	Authorized Representative

FOR AGENCY USE						
			T			

STANDARD FORM A-MUNICIPAL

SECTION IV. INDUSTRIAL WASTE CONTRIBUTION TO MUNICIPAL SYSTEM

Submit a description of each major industrial facility discharging to the municipal system, using a separate Section IV for each facility description. Indicate the 4 digit Standard Industrial Classification (SIC) Code for the industry, the major product or raw material, the flow (in thousand gallons per day), and the characteristics of the wastewater discharged from the industrial facility into the municipal system. Consult Table III for standard measures of products or raw materials. (see instructions)

3. Principal Product or Raw Quantity Table II Material (see instructions)	•.		contributing r structions)	acility		007	n no.		~~~					
Number & Street City 401c County 401d State 401c Zip Code 4011 2. Primary Standard Industrial Classification Code (see instructions) Principal Product or Raw Material (see instructions) Product 403a ASBESTOS—CEMENT PRODUCTS 403c 160/DAY 403c TONS Raw Material (see instructions) FOR EXTERIOR USE 403d 403d 403f 403f 4. Flow indicate the volume of water discharged into the municipal system in thousand gollominer day and whether this discharge is intermittent or continuous. 5. Pretreatment Provided indicate if pretreatment is provided prior to entering the municipal system 6. Characteristics of Wastewater (see instructions) Parameter Name Parameter (see instructions) Parameter Name Parameter		Name		401a	GOL	אסא מי	AD ROTTDY	LNG PROI	<u>JUCTS</u>					
City County State Zip Code A016 Zip Code A017 Zip Primary Standard industrial Classification Code (see instructions) 3. Principal Product or Raw Material (see instructions) Product A030 ASBESTOS—CEMENT PRODUCTS FOR EXTERIOR USE A031 ASBESTOS—CEMENT PRODUCTS FOR EXTERIOR USE A032 ASBESTOS—CEMENT PRODUCTS FOR EXTERIOR USE A034 AU34 AU34 AU34 AU34 AU34 AU34 AU34 AU35 Principal Product or Raw Material (see instructions) ASBESTOS—CEMENT PRODUCTS AU36 FOR EXTERIOR USE AU37 AU38 AU39 Intermittent (int) Xi Continuous (con) AU404 Intermittent (int) Xi Continuous (con) AU405 AU405 AU405 AU405 AU405 AU405 AU406 AU406 AU406 AU407 AU407 AU408						DIV	/ISION	OF NAT	CONAL GY	PSUM	COMPA	MY		
State Zip Code Zip Code 2. Primary Standard industrial Classification Code (see instructions) Product		Numbe	er& Street		4016	530	O TCF	OUPITOUI	LAS STRI	EET				
State Zip Code Zip Code Zip Code Zip Code Autity Toll5 Zig Zig LOUISIANA Toll5 Zig Zig Louis/fication Code (see Instructions) Principal Product or Raw Material (see instructions) Product ASBESTOS—CEMENT PRODUCTS FOR EXTERIOR USE Autity Toll5 Table II Autity Toll5 Toll		City			401c	NEW	V ORLI	EANS			·			
Course C		Count			401d	ORI	EANS							
2. Primary Standard Industrial Classification Code (see Instructions) 3. Principal Product or Raw Material (see instructions) Product ASBESTOS-CEMENT PRODUCTS FOR EXTERIOR USE 403a 403a ASBESTOS-CEMENT PRODUCTS FOR EXTERIOR USE 403b 403c					401e	LOU	JISTAN	NA.						
2. Primary Standard Industrial Classification Code (see Instructions) 3. Principal Product or Raw Material (see instructions) Product 4032 ASBESTOS—CEMENT PRODUCTS FOR EXTERIOR USE 4034 4035 4036 4037 4036 4037 4036 4037 4038 4039 4049 405 405 405 405 405 405 4		Zip Co	de		4011	701	15							
3. Principal Product or Raw Material (see instructions) Product ASBESTOS-CEMENT PRODUCTS FOR EXTERIOR USE ASBESTOS-CEMENT PRODUCTS FOR EXTERIOR USE 403b 403c 403c FOR EXTERIOR USE 403c 403d 403d 403e TONS FOR EXTERIOR USE 403d 403d 403e FOR EXTERIOR USE 403d 403d 403d 403d 403e FOR EXTERIOR USE 403d 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403c FOR EXTERIOR USE 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403c FOR EXTERIOR USE 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403c 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403c FOR EXTERIOR USE 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403c 403d 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403c 403d 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d 403d 403d 403d 404d 405d ASBESTOS-CEMENT PRODUCTS 403d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d 403d 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d 403d 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d ASBESTOS-CEMENT PRODUCTS 403d 403d ASBESTOS-CEMENT PRODUCTS 403d ASBESTOS-CEMENT PRODUCTS 403d ASBESTOS-CEMENT PRODUCTS 403d ASBESTOS-CEMENT PRODUCTS 403d ASBESTOS-CEMENT PROD	2.	Primar; Classifi	y Standard Inc Ication Code		402	329	72							
FOR EXTERIOR USE 403b FOR EXTERIOR USE 403d 404a 129	3.	Princip	al Product or								Quant	tity		Units (See Table III)
4. Flow indicate the volume of water discharged into the municipal system in thousand gallons per day and whether this discharge is intermittent or continuous. 5. Pretreatment Provided Indicate if pretreatment is provided prior to entering the municipal system 6. Characteristics of Wastewater (see instructions) Parameter Name Parameter Number		Produc	:t	·	403a	•			PRODUCTS	4030	160/[<u>OAY</u>	403e	TONS
discharged into the municipal system in thousand gallons per day and whether this discharge is intermittent or continuous. 5. Pretreatment Provided Indicate if pretreatment is provided prior to entering the municipal system 6. Characteristics of Wastewater (see instructions) Parameter Name Parameter Number		Raw M	laterial		403b					403d			403f	
pretreatment is provided prior to entering the municipal system 6. Characteristics of Wastewater (see instructions) Parameter Name Parameter Number	4.	dischar tem in and wh	rged into the m thousand gallo nether this disc	nunicipal sys- ons per day harge is inter-									•	
(see instructions) Parameter Name Parameter Number	5.	pretreatment is provided prior to			405	Xi∨es		□no						
AD6a Parameter Number	6.			stewater S]	EE ATI	ACHMEN	ITS							
AD6a Parameter Number						<u>.</u>			T					:
		496a	Parameter						†					
		406b							 					•

FOR	MA	PPROV	ED
ОМВ	No.	158-R	0100

FOF	A	SEN	CY 1	JSE
		\prod		

STANDARD FORM A-MUNICIPAL

SECTION IV. INDUSTRIAL WASTE CONTRIBUTION TO MUNICIPAL SYSTEM

Submit a description of each major industrial facility discharging to the municipal system, using a separate Section IV for each facility description. Indicate the 4 digit Standard Industrial Classification (SIC) Code for the industry, the major product or raw material, the flow (in thousand gallons per day), and the characteristics of the wastewater discharged from the industrial facility into the municipal system. Consult Table lift for standard measures of products or raw materials. (see instructions)

•		Contributing Pacifity structions)		OOT DOOR DUTT DIVO DRONGOOD	
	Name	* · · · · · · · · · · · · · · · · · · ·	4013		
			1	DIVISION OF NATIONAL GYPSUM COMPANY	
	Numb	era Street	4016	5300 TCHOUPTTOUIAS STREET	
	•			NEW ORLEANS	
	City		401c	TIM OLDING	
	Count	y	401d		
	State		401e	LOUISIANA	
	Zip Co	ode .	401f	70115	
				3292	
2.		y Standard Industrial Ication Code (see	402		
	instruç	tions)	,	Units (S.A.
3.		sal Product or Raw al (see instructions)		Quantity Table	
	Produc	: t .	4033	403c 403e	_
		·			
	Daw M	laterial	403Ь	SEWAGE DISPOSAL - 4024 4024	
•			1	WASH ROOMS 185 PEOPLE	_
				Wildli Rooms 200 Floring	
4.	dischar	Indicate the volume of water rged into the municipal sys- thousand gallons per day	404a	thousand gallons per day	
	and whether this discharge is inter- mittent or continuous.		404b	☐ Intermittent (int) Continuous (con)	
s .		tment Provided Indicate if	405	□Yes XXNo	
		itment is provided prior to ig the municipal system	1		
€.		steristics of Wastewater structions)	•		
	1	Parameter			
		Name Parameter	ļ		
	4000	Parameter Number			
	4000	Value			
	1 1				

FOR	MA	PPRO	VED
OMB	No.	158-	ROIN

FC	A	AG	Εħ	ł¢,	Y (JS	E
T	T						П

STANDARD FORM A-MUNICIPAL

SECTION IV. INDUSTRIAL WASTE CONTRIBUTION TO MUNICIPAL SYSTEM

Submit a description of each major industrial facility discharging to the municipal system, using a separate Section IV for each facility description. Indicate the 4 digit Standard Industrial Classification (SIC) Code for the industry, the major product or raw material, the flow (in thousand gallons per day), and the characteristics of the wastewater discharged from the industrial facility into the municipal system. Consult Table III for standard measures of products or raw materials. (see instructions)

7.		Contributing F structions)	scility								
	Name	3(100010112)		401a	GOLD BOND BUILDING PRODUCTS						
					DIVISI	ON OF NAT	IONAL (GYPSUM C	OMPANY		
	Numb	er& Street		4010	5300	CHOUPITOU	LAS ST	REET			
. :	City			401c	NEW OI	RLEANS					
	Count	y	•	401d	ORLEAN	NS					
	State			4010	LOUIS	IANA					
	ZIP Co	·de		4011	70115	_ · · · · · · · · · · · · · · · · · · ·					
2.	Orienau	y Standard Inc	fuetala:	402	3292		· F				
٠.		leation Code	(5ee	,							
3.		al Product or	 Raw						Quantity		Units (See Table III)
		al (see instru			İ						
	Produc	it.		403a			····	403c		4034	
					OUALTTY	CONTROL I	.ABORAT	ORY			
	Raw M	latorial		4035	FUNCTION		<u> </u>	4034		_ 4031	
				1			,				
4,	dischar	ged into the m		4042	1.0	thousand gallo	ns per day				
<i>,,</i>	tern in thousand gallons per day and whether this discharge is inter- mittent or continuous.			404Ь	☐ Intermitte	ent (int) 🖟 Contin	uous (con)				
5 .	pretrea	itment Provide itment is provide ig the municipa	ded prior to	405	□Yes .	MXN0		•			
5.	_	teristics of Was	stewater						٠.		
	face ut;										
		Parameter Name	·					·			•
	4965	Parameter Number									: !
	406b	Value									

TABLE 1

TOXIC POLLUTANTS

COMPOUND NAME

1.	. *acenaphthene
2.	
3.	
4.	*benzene
5.	. *benzidine
6.	*carbon tetrachloride (tetrachloromethane)
	*chlorinated benzenes (other than dichlorobenzenes)
7.	. chlorobenzene
8.	1,2,4-trichlorobenzene
9.	hexachlorobenzene
	*chlorinated etnanes (including 1,2-dichloroethane,
	1,1,1-trichloroethane and hexachloroethane)
10.	1,2-dichloroethane
11.	l,l,l-trichloroethane
12.	hexachloroethane
13.	. l,l-dichloroethane
14.	. 1,1,2-trichloroethane
15.	1,1,2,2-tetrachloroethane
16.	chloroethane
	*chloroalkyl ethers (chloromethyl, chloroethyl, and mixed
	ethers)
17.	bis(chloromethyl) ether
18.	bis(2-chloroethyl) ether
19.	2-chloroethyl vinyl ether (mixed)
	*chlorinated naphthalene
20.	2-chloronaphthalene
	*chlorinated phenols (other than those listed elsewhere:
	includes trichlorophenols and chlorinated cresols)
21.	
22.	
23.	
24.	
	*dichlorobenzenes
25.	
26.	1,3-dichlorobenzene
26. 27.	1,3-dichlorobenzene 1,4-dichlorobenzene
	1,3-dichlorobenzene 1,4-dichlorobenzene *dichlorobenzidine

*	dichloroethylenes (1,1-dichloroethylene and
	1,2-dichloroethylene)
Q	1,1-dichloroethylene
0	1,2-trans-dichloroethylene
	*2,4-dichlorophenol
	dichloropropane and dichloropropene
	1,2-dichloropropane
3.	1,2-dichloropropylene
•	(1 2-diahlarangana)
4.	*2,4-dimethylphenol
	dinitrotoluene
	2,4-dinitrotoluene
6.	2.6-dinitrotoluene
7.	*1,2-diphenylhydrazine
8.	
9.	*fluoranthene
	haloethers (other than those listed elsewhere)
0.	
-	4-bromophenyl phenyl ether
2 -	bis(2-chloroisopropyl) ether
3.	
	halomethanes (other than those listed elsewhere)
4.	
•	(dichloromethane)
5.	methyl chloride
	(chloromethane)
6.	methyl bromide
•	(bromomethane)
17.	bromoform (tribromomethane)
18.	dichlorobromomethane
9.	trichlorofluoromethane
0.	dichlorodifluoromethane
1.	chlorodibromomethane
2.	*hexachlorobutadiene
3.	*hexachlorocyclopentadiene
4.	*isophorone
5.	*naphthalene
6.	*nitropenzene
*	nitrophenols (including 2,4-dinitrophenol and dinitrocresol)
7.	
3.	4-nitrophenol
9.	*2,4-dinitrophenol
0.	4,6-dinitro-o-cresol
*	nitrosamines
1.	N-nitrosodimethylamine
2.	N-nitrosodiphenylamine

63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 80. 81. 82. 83. 84. 85. 86. 87.	*pentachlorophenol *phenol *phthalate esters bis(2-ethylnexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate diethyl phthalate *polynuclear aromatic hydrocarbons benzo(a) anthracene (1,2-benzanthracene) benzo(a) pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 80. 81. 82. 83. 84. 85. 86.	*pentachlorophenol *phenol *phthalate esters bis(2-ethylhexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a) anthracene (1,2-benzanthracene) benzo(a) pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 80. 81. 82. 83. 84. 85. 86.	*pentachlorophenol *phenol *phthalate esters bis(2-ethylhexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a) anthracene (1,2-benzanthracene) benzo(a) pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 80. 81. 82. 83. 84. 85. 86.	*pentachlorophenol *phenol *phthalate esters bis(2-ethylhexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a) anthracene (1,2-benzanthracene) benzo(a) pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 80. 81. 82. 83. 84. 85. 86.	*pentachlorophenol *phenol *phthalate esters bis(2-ethylhexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a) anthracene (1,2-benzanthracene) benzo(a) pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86.	*phenol *phthalate esters bis(2-ethylnexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 80. 81. 82. 83. 84. 85. 86.	*phthalate esters bis(2-ethylhexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	bis(2-ethylhexyl) phthalate butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	butylbenzylphthalate di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	di-n-butyl phthalate di-n-octyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	di-n-octyl phthalate diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	diethyl phthalate dimethyl phthalate *polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86.	<pre>*polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene</pre>
72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	*polynuclear aromatic hydrocarbons benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	benzo(a)anthracene (1,2-benzanthracene) benzo(a)pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
73. 74. 75. 76. 77. 78. 79. 80. 81. 82.	benzo(a) pyrene (3,4-benzopyrene) 3,4-benzofluoranthene benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
74. 75. 76. 77. 78. 79. 80. 81. 82.	3,4-benzofluoranthene benzo(k)fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86.	benzo(k) fluoranthane (11,12-benzofluoranthene chrysene acenaphthylene anthracene benzo(ghi) perylene (1,12-benzoperylene) fluorene phenanthrene
76. 77. 78. 79. 80. 81. 82. 83. 84.	(11,12-benzofluoranthene
77. 78. 79. 80. 81. 82. 83. 84. 85.	chrysene acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
77. 78. 79. 80. 81. 82. 83. 84. 85.	acenaphthylene anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
78. 79. 80. 81. 82. 83. 84. 85.	anthracene benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
79. 80. 81. 82. 83. 84. 85.	benzo(ghi)perylene (1,12-benzoperylene) fluorene phenanthrene
80. 81. 82. 83. 84. 85.	(1,12-benzoperylene) fluorene phenanthrene
81. 82. 83. 84. 85.	fluorenephenanthrene
81. 82. 83. 84. 85.	phenanthrene
82. 83. 84. 85.	
83. 84. 85. 86.	arbenzo(a, n) anchracene
84. 85. 86.	(1,2,5,6-dibenzanthracene)
84. 85. 86.	·
85. 86.	
86.	
87.	*tetrachloroethylene
.	*trichloroethylene
88	*trichloroethylene*vinyl chloride (chloroethylene)
	pesticides and metabolites
89.	*aldrin
90.	pesticides and metabolites *aldrin *dieldrin
	*chlordane (technical mixture and metabolites)
	*DDT and metabolites
92	4.4'-DDT
93.	4,4'-DDT (p,p'-DDX)
94.	4,4'-DDD (p,p'-TDE)
	*endosulfan and metabolites
95.	
	b-endosulfan-Beta
97.	endosulfan sulfate
- •	Tendrin and metabolites
98.	
99.	

Meptachior and metabolics
100. heptachlor
100. heptachlor epoxide
*hexachlorocyclohexane (all isomers)
102. a-BHC-Alpha
103. b-BHC-Beta
104. r-BHC-(lindane)-Gamma
105. g-BHC-Delta
*polychlorinated biphenyls (PCB's)
106. PCB-1242 (Arochlor 1242)
107. PCB-1254 (Arochlor 1254)
108. PCB-1221 (Arochlor 1221)
109. PCB-1232 (Arochlor 1232)
IIV. PCB-1246 (AEQUITOF 1246)
111. PCB-1260 (Arochlor 1260)
112. PCB-1016 (Arochlor 1016)
113. *toxaphene
114. *antimony (total)
115. *arsenic (total)
(110). Aspestos (110) (110)
117. *beryllium (total)
118. *cadmium (total)
119. *chromium (total)
120. *copper (total)
121. *cyanide (total)
122. *lead (total)
123. *mercury (total)
124. *nickel (total)
125. *selenium (total)
126. *silver (total)
127. "Wildlithii (COEAL)
128. *zinc (total)
129. **2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)
130. ammonia
131. manganese

^{*}Specific compounds and chemical classes as listed in the consent degree.

^{**}This compound was specifically listed in the consent degree.

Because of the extreme toxicity (TCDD), EPA recommends that
laboratories not acquire analytical standard for this compound.

DISPOSAL AGREEMENT

This Agreement entered into as of this	day of	March 1980 by and between
BROWNING-FERRIS INDUSTRIES WATIONIAL GYPSUM CO.,	, a <u>Nevada</u>	corporation (hereinafter referred to as the "Contractor"), and
GOLD BOND BUILDING PRODUCTS	U. DELA	corporation (hereinafter referred to as the "Company").
for the purpose of the disposal of certain designated		
ARTICLE I — DESIGNATED WASTES. Cont will accept and the Company agrees that it will determs of this Agreement, the waste material set feathed hereto and incorporated herein by reference (shall be collectively referred to as the "Waste Material rocess and for dispose of such Waste Material in a a manner which will not create a risk of harm to environment. ARTICLE II — DISPOSAL INDEMNITY. Afte tractor of the Waste Material, the Company shall further obligation with regard to its processing and/fractor will indemnify and hold the Company harm damages, penalties, costs and expense which may re by or imposed apout the Company as a result of Contractor of the Waste Material described in Ex Company or its agent, title to such Waste MacContractor. ARTICLE III — TITLE. The Company agrees to Contractor of the Waste Material described in Ex Company or its agent, title to such Waste MacContractor. ARTICLE IV — SERVICES AND EQUIPMENT provide the services and equipment as set forth in hereto and incorporated herein by reference for the disposal of the Waste Material. Contractor warrants state and local permits required to perform the work. All equipment and facilities provided by Contractor warrants state and local permits required to perform the work. All equipment and facilities provided by Contractor warrants state and local permits, provided that compliance there remove any liabilities either party assumes elsewhere ARTICLE V— SPECIAL EQUIPMENT. If Cot oprovide any special equipment in order to perform in this Agreement which is not listed in Exhibit B, Copany shall agree in writing, prior to its use, as to the efor such equipment. ARTICLE VI — COLLECTION, TRANSPORT POSAL RATES. The rate for processing and/or disposed of by the means designeration of the Contractor with the prior consent of its observable and for shall be at the rate shown in the schedule sattached hereto and incorporated herein by reference ARTICLE VII — MEANS OF DISPOSAL. All processed and/or disposed of by the means designeration of the Contractor	iver, pursuant to the rith in Exhibit A attererinafter said waste al"). Contractor shall awful manner and in public health or the racceptance by Conbe relieved from any or disposal and Coness from any and all assonably be incurred tractor's improper or Material. The tractor is improper or Material. The tractor will exhibit B attached e processing and/or that it has all federal, contracted for herein. The to this Agreement all laws, rules, regulavith shall in no way in this Agreement. The tractor is required the work provided for contractor and Comquipment and the fee to forth in Exhibit C the work provided for contractor in Exhibit C the work may and in the fee to forth in Exhibit C the making these locations and completed in good and ederal Occupational in dregulations therein applicable to Contractor management, the terms and completed in good and ederal Occupational in dregulations therein applicable to Contractor with the approval tatives, but that the under the control of five said work within mis it for any reason, any manner in the aperiod of five (5) gor reasons beyond to over said work within mis it for any reason, any manner in the aperiod of five (5) gor reasons beyond the over said work and are in any reasonable.	acts of God. compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality thereof, whether now existing or hereafter created. ARTICLE XI — ASSIGNMENT. This Agreement is assignable with? the written consent of both parties and shall be binding upon and inure to the benefit of the parties hereto and their respective successors and assigns. Such consent shall not be unreasonably withheld, nor required in the event of assignment by operation of law. ARTICLE XII — SAVINGS CLAUSE. In case any one or more of the provisions contained in this Agreement shall, for any reason, be held to be invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceablity shall not affect any other provisions of this Agreement; this Agreement shall be construed as if such invalid, illegal or unenforceable provision had never been contained herein. ARTICLE XIII — INSURANCE. Contractor agrees to furnish, upon request, certificates attesting to the existence of Workmen's Compensation insurance providing statutory benefits and automobile and general liability insurance with policy limits of not less than \$500,000 each occurrence for bodly injury and \$5,000,000
-		Page 1 of 6

EXHIBIT A

"Designated Wastes" under this agreement will be those characterized on the attached "Waste Characterization Data" forms. Additional wastes may be incorporated into this agreement after submission of "Waste Characterization Data" forms by GOLD BOND BUILDING PRODUCTS and upon approval for handling and disposal by BROWNING-FERRIS INDUSTRIES.



BFI Waste Code	LA	T_{\cdot}	40	/102579	6732
State Waste Code					
Generator Permit	No				
State Permit No.					
State Permit No. Date 10/25	<u> </u>				

	WAST	TE CHARACTERIZA	TION DATA	
Generator GOLD BONI 5300 TCHC	NIPITOULAS			
NEW ORLEA Phone No. 504/899=8	NS. LA 7011			
Company Representative				RIIVER
company Representative			True	
General Description of Waste				ASBESTOS PANELING
Process Source: WASTE	PRODUCTS			
Amount of Waste APPROX	4-30 VD 3/M	O. BAGS-3-40	.000#/MOiscranri.s	Liquid [] Solid X
*	•	•		• • • •
Flock Point	% Moist	Sity	nH	
Toxicity (If known) LD/50.		mg/k _i	J	
ORGANIC: SOME PAPER KRAFT		*		
Sample: Included []	Not included 💢			
			•	
PEOLITED DI ACADDINIC				
REQUIRED PLACARDING	Pr	oison A. [] R. []		Ovidizar []
Flammable []		Dison A [] B [] DITOSIVE []		Oxidizer []
Flammable [] Combustible []	C	orrosive []	PARTING DILLOR	Oxidizer []
Flammable [] Combustible [] SAFETY PRECAUTIONS	C	orrosive []	REATING DUST.	Oxidizer []
Flammable [] Combustible [] SAFETY PRECAUTIONS Avoid Skin Contact []	C	orrosive []	REATING DUST.	Oxidizer []
Flammable [] Combustible [] SAFETY PRECAUTIONS Avoid Skin Contact [] Avoid Breathing [] Light	C	orrosive []		Oxidizer []
Flammable [] Combustible [] SAFETY PRECAUTIONS Avoid Skin Contact [] Avoid Breathing [] Light	C	Other AVOID C	y:	
Combustible [] SAFETY PRECAUTIONS Avoid Skin Contact [] Avoid Breathing [] Submitted by:	C	Other AVOID C	y:	Oxidizer [] HEMICAL SERVICES, TNC.
Flammable [] Combustible [] SAFETY PRECAUTIONS Avoid Skin Contact [] Avoid Breathing [] Light	C	Other AVOID C	y:	

EXHIBIT B

BROWNING-FERRIS INDUSTRIES will provide the services and equipment as necessary for the collection, transportation and disposal of the "Designated Wastes" referenced by Exhibit A of this agreement.

EXHIBIT C

Following are the rates for normal services provided by BROWNING FERRIS INDUSTRIES under this agreement:

- A. Transportation and disposal of Designated Wastes
 - 1. Asbestos Wall Board Panels

Disposal Site: Livingston Facility

Disposal Rate: \$.01/1b

Transportation: \$300.00/trip

2. Cement Ashestos Waste

Disposal Site: Livingston Facility

Disposal Rate: \$30.00/yd3

Box Rental: \$12.50/day

Transportation: \$300.00/trip

B. The rates of this agreement may be changed with thirty

(30) days written notice.



FRED. S. JAMES & CO. OF GEORGIA, INC.

400 FULTON FEDERAL BLDG ATLANTA, GEORGIA 30303 404 - 681-1400 TELFX 542822

CERTIFICATE OF INSURANCE

JAME AND ADDRESS OF CERTIFICATE HOLDER

NAME AND ADDRESS OF INSURED

GOLD BOND BUILDING PRODUCTS National Gypsum Division 2001 Rexford Road Charlotte, NC 28211 BROWNING FIRRIS INDUSTRIES CHERNOLL SERVICES, INC. 1023 M. LOSGELL BATON ROUGE, LA. Z0806

The Policies identified below by policy numbers are in force on the date of Certificate Issuance. Insurance is afforded only with respect to those coverages for which a specific limit of liability has been entered and is subject to all the terms of the Policy having reference thereto. This Certificate of Insurance neither affirmatively nor negatively americs, extends or afters the coverage afforded under any policy identified herein.

to the event of cancellation of the Policy the Company issuing said Policy will make all reasonable effort to send 30 days notice of cancellation to the Certificate Holder at the address shown herein, but the Company assumes no responsibility for any mistake or for failure to give such notice.

	NSURANCE	DATE		
COYEMAGE	COMPANY & FOLICY NO.	EFFECTIVE	EXPIRATION	LIMITS OF LIABILITY
Workman : Conspensation including (CCC) it industrations & Barbor Workers'	CNA	9/30/79	9/30/80	Statutory
Smoothers California Coverage 8	WC 005 39 7164			\$500,000 each accident
Comprehensity Automobile Liaberty Bod ty Injury and Property Damage Compined the uping Dished, riph-loweed & hired automobiles	CNA BIJA 004636908	9/30/79	9/30/80	\$350,000 each occurrence Excess of \$250,000 SIR
Unitoners use Lengra: Lilability Shid-by in thy and Fronesty Damage Combined including Premises & Coestations, Broad Form Contractua: Lilability, X. C. W. Coverages, Personal Injury Lilability of impleted Operations, and Products Elability.	CNA CCP 005312509	9/30/79	9/30/80	\$350,000 each occurrance Excess of \$250,000 SIR
முளம் (ச. 8 koase) Liability Bodil (நம்ந and Ptoperty Damage Combined	Underwriters a: Lloyds et al 020062000	9/30/79	9/30/80	\$5,000,000 each occurrence 7
Ad Asse Property	Underwriters at Lloyds et al 092117000	6/1/79	10/1780	\$11,000,000 each occurrence [].
Other orkarence			: !	

FRED S. JAMES & CO. OF GEORGIA, INC

L'eggolle

March 7, 1980

Date of Certificate (sauance